

# Safety Data Sheet According to the WHMIS 2015

#### **SECTION 1. IDENTIFICATION**

Product Identifier A Touch of Dan Wood Cleaner #0520

Supplier Identifier Forest View Staining Limited

6D - 7398 Yonge Street #1269 Thomhill, Ontario, Canada, L4J 8J2

Tel: 1-647-874-7978

Email: info@forestviewstaining.com

Recommended Use Cleaner for wood and wood composites

Emergency In Canada call CANUTEC CANADA, 613-996-6666

Emergency In USA call CHEMTREC 1-800-424-8000, Outside USA 1-703-527-3887

Date of Preparation October 17, 2022

#### SECTION 2. HAZARD IDENTIFICATION

Physical hazards

Oxidizing solids Category 3 (H272)

Health hazards

Acute oral toxicity Category 4 (H302) Serious Eye Damage/Eye Irritation Category 1 (H318)

**Environmental hazards** 

Based on available data, the classification criteria are not met O

#### **Label Elements**







Signal Word Danger

#### **Hazard Statements**

H272 May intensify fire; oxidizer H302 Harmful if swallowed H318 Causes serious eye damage

## Precautionary Statements

#### Prevention

P102 - Keep out of reach of children

P103 - Read label before use

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P220 - Keep away from clothing and other combustible materials

P264 - Wash affected body parts thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P271 - Use only outdoors or in a well-ventilated area.

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P221 - Take any precaution to avoid mixing with combustibles

#### Response

P371 + P380 + P375 - In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion P301 + P312 + P330 + P331 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth. Do NOT induce vomiting

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

#### Disposal

P501 - Dispose of contents / container in accordance with all federal, provincial and / or local regulations including the Canadian Environmental Protection Act

#### Other Hazards

None known

#### SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS

#### Substance:

Chemical Name	CAS No.	%	Other I dentifiers
Carbonic acid disodium salt, compd. with hydrogen peroxide (2:3)	15630-89-4	>94%	Peroxy sodium carbonate, Sodium carbonate peroxyhydrate,

<sup>\*</sup>Exact concentration withheld as a trade secret

## SECTION 4. FIRST-AID MEASURES

# Description of necessary first-aid measures

General advice If symptoms persist, immediately call a physician.

Remove from exposure. Get medical advice and immediate medical attention if you feel Inhalation

unwell or are concerned.

Ingestion Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth. Do not

induce vomiting.

Skin contact Rinse skin with lukewarm, gently flowing water / shower for 5 minutes or until product is

removed. Store contaminated clothing under water and wash before re-use or discard. If skin irritation occurs or if you feel unwell, get medical advice or attention immediately.

Eye contact Remove source of exposure or move person to fresh air. Rinse eyes cautiously with

lukewarm, gently flowing water for at least 15 minutes, while holding the eyelids open. Remove contact lenses, if present and easy to do. Take care not to rinse contaminated water into the unaffected eye or onto the face. Immediately call a POISON CENTER or

doctor/physician.

**Self-Protection** Ensure that medical personnel are aware of the material(s)

of the First Aider involved, take precautions to protect themselves and prevent spread of contamination.

#### Most important symptoms and effects, both acute and delayed

Inhalation May cause respiratory irritation. Ingestion Harmful if swallowed.

Skin contact May cause mild irritation with prolonged contact.

Eye contact Causes serious eye damage.

Further information For further information, see Section 11 Toxicological Information.

#### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media This material is an oxidizer. Use large quantities of water as fog to fight fires in which this

material is involved.

Unsuitable extinguishing

media

Carbon dioxide or other extinguishing agents that smother flames are not effective

in fires involving oxidizers. Do NOT use dry chemical fire extinguishing agents containing ammonium compounds (such as some A:B:C agents), since an explosive compound can be

formed. Water jets are not recommended in fires involving chemicals.

Specific hazards arising from

the chemical

Special protective equipment

for fire-fighters

May intensify fire; oxidizer. In the event of a fire oxides of carbon and

sodium may be released.

Wear NIOSH-approved self-contained breathing apparatus and chemical-

protective clothing.

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions / Wear appropriate personal protective equipment (See Section 08 Exposure Protective equipment / Controls and Personal Protection). Keep away from heat, hot surfaces,

Emergency procedures sparks, open flames and other ignition sources. No smoking. Keep away from clothing and

other combustible materials. Stay upwind, ventilate area.

Environmental precautions Prevent material from entering waterways, sewers or confined spaces. Notify local health and

wildlife officials. Notify operators of nearby water intakes.

Methods and materials for

containment and

cleaning up

Dry sweeping is not recommended. Pre-damping the material or use of a vacuum is preferred. Shovel into clean, dry, labeled containers and cover. Flush area with

water.

#### SECTION 7. HANDLING AND STORAGE

Product Identifier: A Touch of Dan Wood Cleaner #0520

Precautions for Use proper equipment for lifting and transporting all containers. Use sensible

safe handling industrial hygiene and housekeeping practices. Wash thoroughly after handling. Avoid all

situations that could lead to harmful exposure. Inspect containers for damage or leaks before handling. If the original label is damaged or missing replace with a workplace label. Have

suitable emergency equipment for fires, spills and leaks readily available.

Conditions for safe storage Store in a cool, dry, well-ventilated area, away from heat sources and incompatible materials.

Always store in original labeled container. Keep containers tightly closed when not in use and when empty. Empty containers may contain hazardous residues. Protect label and keep it

visible. Keep at temperatures below 40°C.

Incompatibilities Acids, such as sulphuric, nitric, hydrochloric, phosphoric, flurosilicic (HFSA), sulphonic,

acetic, citric, oxalic, and formic. Reducing agents, such as hydrogen, sodium borohydride, sulphur dioxide, thiosulphates, hydrazine, phosphites, carbon, and oxalic, formic and ascorbic acid. Organic material, such as wood, paper, gasoline, diesel, solvents and some glycol

based heat transfer fluids Powdered metals, such as aluminum, steel, and brass.

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Exposure limits**

There are no known exposure limits for this product.

## Engineering controls

Ventilation requirements Mechanical ventilation (dilution or local exhaust), process or personnel enclosure and control

of process conditions should be provided in accordance with all fire codes and regulatory requirements. Supply sufficient replacement air to make up for air removed by exhaust

systems.

Other A soak hose and eyewash station or emergency shower and eyewash station should be

available, tested, and be in close proximity to the product being handled in accordance with

provincial regulations.

#### Protective equipment

The following are recommendations only. It is the responsibility of the employer / user to conduct a hazard assessment of the process in which this product being used and determine the proper engineering controls and PPE for their process. Additional regulatory and safety information should be sought from local authorities and, if needed, a professional industrial hygienist.

Eye and face protection Where there is potential eye or face exposure, tightly fitting safety goggles and a face shield

or a full face respirator or similar protective equipment which protects the wearer's face and eyes are recommended. Contact lenses are not recommended; they may contribute to

severe eye injury.

Hand and body protection

Respiratory protection
Thermal hazards

Where handling this product it is recommended that skin contact is avoided.

In case of insufficient ventilation wear suitable respiratory equipment.

Not available

# SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

#### <u>Appearance</u>

Physical state Soild. Granules

Colour White

Product Identifier: A Touch of Dan Wood Cleaner #0520

Odour Odourless
Odour threshold Not applicable

## **Property**

**pH** 10.4-10.6 @ 140 g/L

Melting point / freezing point Decomposes Initial boiling point and boiling range Decomposes Flash point Not applicable **Evaporation rate** Not available **Flammability** Non-flammable Upper flammable limit Not available Lower flammable limit Not available Vapour pressure Negligible Vapour density Not available Relative density 2.01-2.16 g/cm3

Solubility Water: 140 g/L @ 20 °C

Partition coefficient: noctanol/water Not applicable
Auto-ignition temperature Not applicable

**Decomposition temperature** > 50 °C Viscosity Not applicable

Specific gravity Not applicable

Particle characteristics Particle size: Not available Particle shape: Not available

#### SECTION 10. STABILITY AND REACTIVITY

Reactivity This product is an oxidizer and will react with reducing agents and organic compounds such

as paper or wood to produce heat and could potentially catch fire.

Stability This product is stable if stored according to the recommendations in Section 07. Exposure to

sunlight or high temperatures may cause the degradation of this product over time.

Possibility of hazardous

reactions

Hazardous polymerization is not known to occur.

Conditions to avoid Avoid contact with incompatible materials. Do not heat.

Incompatible materials Acids, such as sulphuric, nitric, hydrochloric, phosphoric, flurosilicic (HFSA), sulphonic,

acetic, citric, oxalic, and formic. Reducing agents, such as hydrogen, sodium borohydride, sulphur dioxide, thiosulphates, hydrazine, phosphites, carbon, and oxalic, formic and ascorbic acid. Organic material, such as wood, paper, gasoline, diesel, solvents and some glycol

based heat transfer fluids Powdered metals, such as aluminum, steel, and brass.

Hazardous decomposition

products

Thermal decomposition may produce oxides of carbon and sodium.

# SECTION 11. TOXICOLOGICAL INFORMATION

#### Acute Toxicity (LD50 / LC50 values)

Oral Category 4

**Dermal**Based on available data, the classification criteria are not met
Inhalation
Based on available data, the classification criteria are not met

Product Identifier: A Touch of Dan Wood Cleaner #0520

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation	ATE Oral
Carbonic acid disodium salt, compd. with hydrogen peroxide (2:3)	1034-2000 mg/kg (rat)	> 2000 mg/kg (rabbit)	4.58 mg/L/1 hour (rat)	500 mg/kg

#### **Toxic Health Effect Summary**

**Chemical** Product dissociates to sodium carbonate and hydrogen peroxide when dissolved in water. **Characteristics** Sodium carbonate will increase body pH. Hydrogen peroxide is a common metabolite.

Skin May cause mild or severe irritation with prolonged contact.

Ingestion Harmful if swallowed. Nausea. Vomiting. Diarrhea. After digestion in large quantities:

Headache. Dehydration. Heart rhythm disorders. Changes in blood / blood Composition.

Decreased renal function

InhalationMay cause respiratory irritation.Eye contactCauses serious eye damage.

Sensitization This product and its components at their listed concentration have no known sensitizing

effects.

Mutagenicity This product and its components at their listed concentration have no known mutagenic

effects.

Carcinogenicity This product and its components at their listed concentration have no known carcinogenic

effects.

Reproductive This product and its components at their listed concentration have no known

toxicity reproductive effects.

Specific organ toxicity This product and its components at their listed concentration have no known effects on

specific organs.

Aspiration hazard Not available Synergistic materials Not available

#### SECTION 12. ECOLOGICAL INFORMATION

# **Ecotoxicity**

Component	Туре	Species	Value	Exposure Time
Carbonic acid, disodium	LD50	fathead minnow	71 mg/L	96 hours
salt, compd. with	EC50	Daphnia pule	4.9 mg/L	48 hours
hydrogen peroxide (2:3)	EC50	Chlorella emersonii	70 mg/L	240 hours

Biodegradability Persistent

Bioaccumulation Non-bioaccumulative

Mobility This product is water soluble, is not predicted to adsorb to soil and may contaminate ground

water.

Other adverse effects Not available

## SECTION 13. DISPOSAL CONSIDERATIONS

Waste From Residues / Dispose in accordance with all federal, provincial, and local regulations including the

Product Identifier: A Touch of Dan Wood Cleaner #0520

Unused Products Canadian Environmental Protection Act.

Contaminated Packaging Do not remove label, follow label warnings even after the container is empty. Empty

containers should be recycled or disposed of at an approved waste handling facility.

#### **SECTION 14. TRANSPORT INFORMATION**

UN number UN3378

UN proper shipping name

and description

SODIUM CARBONATE PEROXYHYDRATE

Transport hazard class(es) 5.1
Packing group III
Excepted quantities 1 kg

Environmental hazards Not listed as a marine pollutant under Canadian TDG Regulations, schedule III.

Special precautionsNo special provisionsTransport in bulkERAP index: not available

MARPOL 73/78 and IBC Code:

This product is not listed in Chapter 17 of the IBC Code.

Additional information Not available. Secure containers (full or empty) during shipment and ensure all caps, valves,

or closures are secured in the closed position.

#### SECTION 15. REGULATORY INFORMATION

NOTE: THE PRODUCT LISTED ON THIS SAFETY DATA SHEET HAS BEEN CLASSIFIED IN ACCORDANCE WITH THE HAZARD CRITERIA OF THE CANADIAN HAZARDOUS PRODUCTS REGULATIONS. THIS SAFETY DATA SHEET CONTAINS ALL INFORMATION REQUIRED BY THOSE REGULATIONS.

All components of this product appear on the domestic substance list.

## SECTION 16. OTHER INFORMATION

#### Full text of H-Statements referred to under sections 2 and 3

H302 - Harmful if swallowed

H318 - Causes serious eye damage

H272 - May intensify fire;

SDS Prepared by Forest View Staining Limited

Date of Preparation October 17, 2022

References CHEMINFO database. Canadian Centre for Occupational Health and Safety (CCOHS).

Disclaimer

This document is offered only as a guide in the safe handling of the above product, and has been prepared from the best information currently available. It is not intended to be all inclusive and the conditions of use may involve other additional considerations. The user is entirely responsible to determine the suitability of this product for the intended use before application. The user assumes all

risk and liability in connection therewith. Forest View Staining Limited cannot anticipate or control the

